## Leading Causes of Death for Women Switzerland County vs. Indiana, 1995-1999

|                 |                             | Switzerland County |   | Indiana           |
|-----------------|-----------------------------|--------------------|---|-------------------|
| All Causes      | Deaths<br>Age-Adjusted Rate | 225<br>830.33      |   | 136,704<br>778.40 |
| Cardiovascular  | Deaths<br>Age-Adjusted Rate | 90<br>316.79       |   | 59,221<br>326.70  |
| Homicide        | Deaths<br>Age-Adjusted Rate | 0                  | u | 555<br>3.65       |
| HIV/AIDS        | Deaths<br>Age-Adjusted Rate | 0                  | u | 109<br>0.72       |
| Lung Cancer     | Deaths<br>Age-Adjusted Rate | 12                 | u | 7,517<br>45.37    |
| Breast Cancer   | Deaths<br>Age-Adjusted Rate | 3                  | u | 4,778<br>29.16    |
| Ovarian Cancer  | Deaths<br>Age-Adjusted Rate | 1                  | u | 1,564<br>9.48     |
| Cervical Cancer | Deaths<br>Age-Adjusted Rate | 1                  | u | 522<br>3.31       |

s = significantly different from the state rate u = unstable rate (numerator less than 20)

Source: Indiana State Department of Health, Epidemiology Resource Center, Data Analysis Team